

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 14 1994 - NEW PRIORITY DATE: JUN 18 2001

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 14 1994

The applicant KEEPIN'N KONTACT CO.

P.O. BOX 2190 _____, of Pahrump _____,
Street and No. or P.O. Box No. City or Town

Nevada 89041 _____, hereby make^s application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.) April 15, 1989

Carson City, Nevada

1. The source of the proposed appropriation is Underground.
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.10 _____ second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for commercial and domestic purposes.
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under No. 12. "Remarks") RV Park, commercial and residence

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point located within the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$
Describe as being within a 40-acre subdivision of public
of the NE $\frac{1}{4}$ of Section 18, T21S, R54E, MDB&M Nye County Nevada; or at a point from
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
which the Northeast corner of said Section 18 bears N 56°07'32" E a distance of 2982.28 feet.

6. Place of use being a portion of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 18, T21S, R54E,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
MDB&M Nye County Nevada and being Lot 12, Block B of CHARLOTTA ESTATES File No.
71081 Nye County Records. Containing 4.426 acres \pm .

7. Use will begin about January 1st _____ and end about December 31st _____, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Existing well 140 feet deep, 8-inch casing
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pressure tank and 1 $\frac{1}{2}$ HP pump. Lines to RV Park to be installed.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$7500 includes existing facilities.
 10. Estimated time required to construct works.....2 years. RV Park installation complete.
 If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

12 RV sites and domestic house and restrooms will be served. Usage should not exceed 3500 gallons per day average or 1,277,500 gallons annual usage.

s/Ben W. DePue
 By P.O. Box 2190
 Pahrump, NV 89041

Compared cmg/bl cl/cms

Protested.....

APPROVAL
 OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 3.2 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 2, 1999
 Proof of completion of work shall be filed before January 2, 2000
 Application of water to beneficial use shall be filed on or before December 2, 2002
 Proof of the application of water to beneficial use shall be filed on or before January 2, 2003
 Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed OCT 17 2003

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

CANCELLED MAY 9 2001 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 2nd day of December

A.D. 1997

R. Michael Turnipseed P.E.
 State Engineer

(PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

